

Standard lightweight polyester encapsulation film that increases the rigidity of print and protects it for up to 5 years in damp, dirty and busy environments.





Encapsulation Film

75mic

Our products and services protect print, making it more reliable in demanding environments.



Our standard lightweight polyester encapsulation film that seals and strengthens print. The 75 mic film increases the rigidity of print and offers a thin barrier that protects print up to 5 years in damp, dirty and busy environments.

Use on

Posters | Signage | Packaging | Menus

Features

- > Crystal clear reflective gloss finish (75mic)
- > Seals and protects up to 5 years
- > High-quality co-polymer adhesive
- > Increases rigidity of print
- > Wide selection of widths and lengths
- > Available in 25mm, 57mm and 77mm cores

Sizes and Specs

- > 230mm / 305mm / 320mm / 455mm / 635mm / 1040mm / 1600 widths
- > 25mm / 57mm / 77mm cores
- > 25 m / 50 m / 100 m / 200 m / 500 m lengths
- > Gloss 75mic

Properties

Thickness: 75 µm

Construction: 12/63

Laminating Temperature: 100-130 °C

Useful info

Clean and dry print surface before application.

Please store this product in a cool, dry place away from direct sunlight. Figures provided are guidance only. All values and information are approximate. Please test before use.

Encapsulation film delivered in 48 hours

We know you need film fast so we promise to get it to you within 48 hours if you order before 3pm.

Shop Encapsulation Film >

Request Sample Pack

Got a question? Contact Chloë McGuire on:

01179 414 999 sales@expressencap.co.uk expressencap.co.uk





Standard lightweight polyester encapsulation film that increases the rigidity of print and protects it for up to 5 years in damp, dirty and busy environments.





Encapsulation Film

75mic

Our products and services protect print, making it more reliable in demanding environments.



Our standard lightweight polyester encapsulation film that seals and strengthens print. The 75 mic film increases the rigidity of print and offers a thin barrier that protects print up to 5 years in damp, dirty and busy environments.

Use on

Posters | Signage | Packaging | Menus

Features

- > Super soft, low glare matte finish (75mic)
- > Seals and protects up to 5 years
- > High-quality co-polymer adhesive
- > Increases rigidity of print
- > Wide selection of widths and lengths
- > Available in 25mm, 57mm and 77mm cores

Sizes and Specs

- > 230mm / 305mm / 320mm / 455mm / 635mm / 1040mm / 1600 widths
- > 25mm / 57mm / 77mm cores
- > 25 m / 50 m / 100 m / 200 m / 500 m lengths
- > Matte 75mic

Properties

Thickness: 75µm

Construction: 12/63

Laminating Temperature: 100-130 °C

Useful info

Clean and dry print surface before application.

Please store this product in a cool, dry place away from direct sunlight. Figures provided are guidance only. All values and information are approximate. Please test before use.

Encapsulation film delivered in 48 hours

We know you need film fast so we promise to get it to you within 48 hours if you order before 3pm.

Shop Encapsulation Film >

Request Sample Pack

Got a question? Contact Chloë McGuire on:

01179 414 999 sales@expressencap.co.uk expressencap.co.uk





Standard lightweight polyester encapsulation film that increases the rigidity of print and protects it for up to 5 years in damp, dirty and busy environments.





Encapsulation Film

75mic

Our products and services protect print, making it more reliable in demanding environments.



Our standard lightweight polyester encapsulation film that seals and strengthens print. The 75 mic film increases the rigidity of print and offers a thin barrier that protects print up to 5 years in damp, dirty and busy environments.

Use on

Posters | Signage | Packaging | Menus

Features

- > Low sheen dead matte finish (42mic)
- > Seals and protects up to 5 years
- > High-quality co-polymer adhesive
- > Increases rigidity of print
- > Wide selection of widths and lengths
- > Available in 25mm, 57mm and 77mm cores

Sizes and Specs

- > 230mm / 305mm / 320mm / 455mm / 635mm / 1040mm / 1550 widths
- > 25mm / 57mm / 77mm cores
- > 25m / 50m / 100m / 200m lengths
- > Ultra Matte 75mic

Properties

Thickness: 75µm

Construction: 25/50

Laminating Temperature: 90-100 °C

Useful info

Clean and dry print surface before application.

Please store this product in a cool, dry place away from direct sunlight. Figures provided are guidance only. All values and information are approximate. Please test before use.

Encapsulation film delivered in 48 hours

We know you need film fast so we promise to get it to you within 48 hours if you order before 3pm.

Shop Encapsulation Film >

Request Sample Pack

Got a question? Contact Chloë McGuire on:

01179 414 999 sales@expressencap.co.uk expressencap.co.uk

